

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	14	hamberg-max.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 11:54
S2	1	leppaniemi-jari.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 11:23
S3	4264	nokia-corporation.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 11:23
S4	10	S3 and (encrypt\$3 with (photo image picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 11:29

EAST Search History

S5	50	(US-20020145614-\$ or US-20040263636-\$ or US-20050110788-\$ or US-20060041719-\$ or US-20060072166-\$ or US-20060088284-\$ or US-20020034255-\$ or US-20020073058-\$ or US-20040003351-\$ or US-20020073429-\$ or US-20040125400-\$ or US-20050243585-\$).did. or (US-6714209-\$ or US-6738427-\$ or US-7031968-\$ or US-5706457-\$ or US-6349330-\$ or US-5917488-\$ or US-5884056-\$ or US-6026416-\$ or US-6058417-\$ or US-6181342-\$ or US-5717940-\$ or US-5892847-\$ or US-5903904-\$ or US-5923325-\$ or US-5983237-\$ or US-6084595-\$ or US-6105042-\$ or US-6182090-\$ or US-4802756-\$ or US-5548692-\$ or US-5598557-\$ or US-5699458-\$ or US-5717838-\$ or US-5751287-\$ or US-5761655-\$ or US-5761686-\$). did. or (US-5765176-\$ or US-5819261-\$ or US-5898436-\$ or US-5943679-\$ or US-6006231-\$ or US-6011537-\$ or US-6021412-\$ or US-6028603-\$ or US-6041143-\$ or US-6072479-\$ or US-6085185-\$ or US-6091418-\$).did.	US-PGPUB; USPAT	OR	ON	2006/12/27 12:44
S6	9	S5 and (generat\$3 with (represent\$6 reduc\$3) with data)	US-PGPUB; USPAT	OR	ON	2006/12/27 12:53
S7	2	S5 and ((encrypt\$3 encipher\$3 cipher\$3 scrambl\$3) same ((represent\$6 reduc\$3) with data))	US-PGPUB; USPAT	OR	ON	2006/12/27 12:54
S8	69386	(generat\$3 with (represent\$6 reduc\$3) with data)	US-PGPUB; USPAT	OR	ON	2006/12/27 12:55
S9	1681	S8 and ((encrypt\$3 encipher\$3 cipher\$3 scrambl\$3) same ((represent\$6 reduc\$3) with data))	US-PGPUB; USPAT	OR	ON	2006/12/27 13:12
S10	1885	generat\$3 with thumbnail	US-PGPUB; USPAT	OR	ON	2006/12/27 12:55
S11	33	S10 and ((encrypt\$3 encipher\$3 cipher\$3 scrambl\$3) same thumbnail)	US-PGPUB; USPAT	OR	ON	2006/12/29 07:00
S12	14	S11 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/29 07:09
S13	189	S9 and (symmetric near3 (algorithm key))	US-PGPUB; USPAT	OR	ON	2006/12/27 13:13

EAST Search History

S14	108	S13 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/28 07:26
S15	1561	encrypt\$3 near3 hash near3 key	US-PGPUB; USPAT	OR	ON	2006/12/27 14:25
S16	825	S15 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/27 15:03
S17	1092	deriv\$3 adj key	US-PGPUB; USPAT	OR	ON	2006/12/27 15:02
S18	91	(deriv\$3 adj key) same (hash CRC checksum)	US-PGPUB; USPAT	OR	ON	2006/12/27 15:03
S19	57	S18 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/27 15:06
S20	10735	generat\$3 near3 (hash crc checksum)	US-PGPUB; USPAT	OR	ON	2006/12/27 15:07
S21	667	S20 and (((deriv\$3 gener\$3) near3 key) with (hash CRC checksum))	US-PGPUB; USPAT	OR	ON	2006/12/27 15:07
S22	456	S21 and encrypt\$3	US-PGPUB; USPAT	OR	ON	2006/12/27 15:06
S23	252	S22 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/27 15:08
S24	1848	generat\$3 near3 (checksum)	US-PGPUB; USPAT	OR	ON	2006/12/28 07:20
S25	28	S24 and (((deriv\$3 gener\$3) near3 key) with (hash CRC checksum))	US-PGPUB; USPAT	OR	ON	2006/12/28 07:18
S26	14	S25 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/27 15:19
S27	198	("455"/\$.ccls. "380"/\$.ccls. "713"/\$. ccls. "726"/\$.ccls. "705"/\$.ccls. "370"/\$.ccls. "725"/\$.ccls.) and (((generat\$3 deriv\$3) adj key) with (checksum CRSC hash))	US-PGPUB; USPAT	OR	ON	2006/12/28 07:38
S28	185	S27 and (encrypt\$3 encipher\$3 cipher\$3)	US-PGPUB; USPAT	OR	ON	2006/12/28 08:18
S29	98	S28 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/28 07:46
S30	93	S29 and (generat\$3 with (checksum CRSC hash))	US-PGPUB; USPAT	OR	ON	2006/12/28 07:26
S31	13	("455"/\$.ccls. "380"/\$.ccls. "713"/\$. ccls. "726"/\$.ccls. "705"/\$.ccls. "370"/\$.ccls. "725"/\$.ccls.) and (((generat\$3 deriv\$3) adj key) with (checksum))	US-PGPUB; USPAT	OR	ON	2006/12/28 08:53

EAST Search History

S32	6	("455"/\$.ccls. "380"/\$.ccls. "713"/\$.ccls. "726"/\$.ccls. "705"/\$.ccls. "370"/\$.ccls. "725"/\$.ccls.) and (((generat\$3 deriv\$3) adj key) with (CRC))	US-PGPUB; USPAT	OR	ON	2006/12/28 07:45
S33	188	("455"/\$.ccls. "380"/\$.ccls. "713"/\$.ccls. "726"/\$.ccls. "705"/\$.ccls. "370"/\$.ccls. "725"/\$.ccls.) and (((generat\$3 deriv\$3) adj key) with (hash))	US-PGPUB; USPAT	OR	ON	2006/12/28 07:45
S34	94	S33 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/28 15:08
S35	89	S34 and (encrypt\$3 encipher\$3 cipher\$3)	US-PGPUB; USPAT	OR	ON	2006/12/28 08:25
S36	1042	("455"/\$.ccls. "380"/\$.ccls. "713"/\$.ccls. "726"/\$.ccls. "705"/\$.ccls. "370"/\$.ccls. "725"/\$.ccls.) and (generat\$3 with (checksum))	US-PGPUB; USPAT	OR	ON	2006/12/28 08:54
S37	506	("455"/\$.ccls. "380"/\$.ccls. "713"/\$.ccls. "726"/\$.ccls. "705"/\$.ccls. "370"/\$.ccls. "725"/\$.ccls.) and (generat\$3 with checksum with (data fiel program image signal))	US-PGPUB; USPAT	OR	ON	2006/12/28 10:19
S38	2218	(stor\$3 with (encrypt\$3 near3 (data file content program)) with (server provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 16:01
S39	716	S38 and ((transmit\$3 forward\$3 send\$3 deliver\$3) with encrypt\$3 with (server provider) with (user client subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 16:02
S40	415	S39 and ((transmit\$3 forward\$3 send\$3 deliver\$3) same (URL address location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 15:46
S41	140	S40 and ((transmit\$3 forward\$3 send\$3 deliver\$3) same ((URL address location) with key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 15:47
S42	79	S41 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/28 15:47

EAST Search History

S43	343	S39 and ((transmit\$3 forward\$3 send\$3 deliver\$3) same (URL address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 16:03
S44	97	S43 and ((transmit\$3 forward\$3 send\$3 deliver\$3) same ((URL address) with key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 15:47
S45	56	S44 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 16:57
S46	137	S38 and (stor\$3 with key with (key adj server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 16:01
S47	83	S46 and ((transmit\$3 forward\$3 send\$3 deliver\$3) with encrypt\$3 with (server provider) with (user client subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 16:02
S48	40	S47 and ((transmit\$3 forward\$3 send\$3 deliver\$3) same (URL address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 16:05
S49	1896	generat\$3 with thumbnail	US-PGPUB; USPAT	OR	ON	2006/12/29 08:25
S50	4	S49 and ((transmit\$4 send\$3 forward\$3) same ((encrypt\$3 encipher\$3 cipher\$3 scrambl\$3) with thumbnail) same (server provider))	US-PGPUB; USPAT	OR	ON	2006/12/29 08:25
S51	241763	generat\$3 with (image photo picture)	US-PGPUB; USPAT	OR	ON	2006/12/29 08:03
S52	253	S51 and ((transmit\$4 send\$3 forward\$3) same ((encrypt\$3 encipher\$3 cipher\$3 scrambl\$3) with (image photo picture)) same (server provider))	US-PGPUB; USPAT	OR	ON	2006/12/29 08:04
S53	104	S52 and ((transmit\$4 send\$3 forward\$3) with key with (server provider))	US-PGPUB; USPAT	OR	ON	2006/12/29 07:08
S54	48	S53 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/29 10:11
S56	7516	generat\$3 with (image photo picture) with (mobile cell\$4)	US-PGPUB; USPAT	OR	ON	2006/12/29 08:03

EAST Search History

S57	13	S56 and ((transmit\$4 send\$3 forward\$3) same ((encrypt\$3 encipher\$3 cipher\$3 scrambl\$3) with (image photo picture)) same (server provider))	US-PGPUB; USPAT	OR	ON	2006/12/29 08:13
S58	499	S56 and ((transmit\$4 send\$3 forward\$3) same (image photo picture) same (server provider))	US-PGPUB; USPAT	OR	ON	2006/12/29 08:12
S59	3	("20030086568", "20030026434", "5784461").pn.	US-PGPUB; USPAT	OR	ON	2006/12/29 08:14
S60	15	S54 and URL	US-PGPUB; USPAT	OR	ON	2006/12/29 10:41
S61	527	(stor\$3 with key with (key adj server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 21:21
S62	0	S61 and (key with (thumb\$1nail (thumb adj nail) picture) with multimedia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:23
S63	0	S61 and (key same ((thumb\$1nail (thumb adj nail) picture) with multimedia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 12:14
S64	9	S61 and (key and ((thumb\$1nail (thumb adj nail) picture) with multimedia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 12:15
S65	9	S61 and (key and ((ID identifier) with (thumb\$1nail (thumb adj nail) picture) with multimedia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 12:16
S66	5530	stor\$3 same (retriev\$3 archiv\$3) same URL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 12:05
S67	30	S66 and (stor\$3 with key with (key adj server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 13:03

EAST Search History

S68	33	(send\$3 transmit\$4) same key same URL same (third adj part\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 16:33
S69	27	(stor\$3) same key same URL same (third adj part\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 16:46
S70	19	(url address) same (thumb\$1nail (thumb adj nail)) same watermark\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 19:37
S71	229	(url address) same (thumb\$1nail (thumb adj nail) key) same watermark\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 20:54
S72	77	stor\$3 same (url address) same (thumb\$1nail (thumb adj nail) key) same watermark\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 20:54
S73	50	S72 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 19:37
S74	38938	key same (thumb\$1nail (thumb adj nail) icon\$2 picture extract)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:25
S75	5953	key with (thumb\$1nail (thumb adj nail) icon\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:39
S76	723	(generat\$3 deriv\$3 form\$3 creat\$3) with key with (thumb\$1nail (thumb adj nail) icon\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:28
S77	421	S76 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 17:31
S78	7	(generat\$3 deriv\$3 form\$3 creat\$3) with (encrypt\$3 near3 key) with (thumb\$1nail (thumb adj nail) icon\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:30

EAST Search History

S79	1	(generat\$3 deriv\$3 form\$3 creat\$3) with (encipher\$3 near3 key) with (thumb\$1nail (thumb adj nail) icon\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:30
S80	1	(generat\$3 deriv\$3 form\$3 creat\$3) with (cipher\$3 near3 key) with (thumb\$1nail (thumb adj nail) icon\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:30
S81	48	(generat\$3 deriv\$3 form\$3 creat\$3) with (cod\$3 near3 key) with (thumb\$1nail (thumb adj nail) icon\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:30
S82	38	S81 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 17:40
S83	1774	(thumb\$1nail (thumb adj nail)) with represent\$6 with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:40
S84	108	S83 and encrypt\$3 and decrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:40
S85	58	S84 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 21:25
S86	43	S85 and watermark	US-PGPUB; USPAT	OR	ON	2006/12/31 20:09
S87	10	stor\$3 same (url address) same (thumb\$1nail (thumb adj nail) clip) same watermark\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 20:55
S88	3813	(stor\$3 same(address URL) same (key thumb\$1nail (thumb adj nail) clip) same (server repository (third near3 part\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 21:37
S89	1333	S88 and encrypt\$3 and decrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 21:50
S90	720	S89 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 21:51

EAST Search History

S91	8	S90 and URL and watermark\$3	US-PGPUB; USPAT	OR	ON	2006/12/31 21:25
S92	615	(stor\$3 with(address URL) with (key thumb\$1nail (thumb adj nail) clip) with (server repository (third near3 part\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 21:49
S93	240	S92 and encrypt\$3 and decrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 21:38
S94	35	S93 and stor\$3 and (retriev\$3 and archiv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 21:50
S95	956	(send\$3 forward\$3 transmit\$4) with (address URL) with (key thumb\$1nail (thumb adj nail) clip) with (server repository (third near3 part\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:54
S96	397	S95 and encrypt\$3 and decrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 22:34
S97	51	S96 and stor\$3 and (retriev\$3 and archiv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 21:50
S98	26	S97 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 22:34
S99	25	(send\$3 forward\$3 transmit\$4) with (address URL) with (key thumb\$1nail (thumb adj nail) clip) with (third near3 part\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 22:33
S100	9466	(send\$3 forward\$3 transmit\$4) with key with (server repository (third near3 part\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 22:34
S101	745	(send\$3 forward\$3 transmit\$4) with key with ((third near3 part\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:01

EAST Search History

S10 2	501	S101 and encrypt\$3 and decrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 00:39
S10 3	315	S102 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 23:22
S10 4	20	(send\$3 forward\$3 transmit\$4) with (URL address) with encrypt\$3 with ((third near3 part\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:57
S10 5	1145	(send\$3 forward\$3 transmit\$4) with (URL address locat\$3) with ((third near3 part\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:21
S10 6	132	(send\$3 forward\$3 transmit\$4) same ((URL address locat\$3) with encrypt\$3) same ((third near3 part\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:22
S10 7	69	S106 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 23:22
S10 8	83	(send\$3 forward\$3 transmit\$4) same ((URL address) with encrypt\$3) same ((third near3 part\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:22
S10 9	44	S108 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 23:52
S11 0	1438	stor\$3 with encrypt\$3 with (URL address locator)	US-PGPUB; USPAT	OR	ON	2006/12/31 23:54
S11 1	452	(send\$3 forward\$3 transmit\$4) with (URL address) with encrypt\$3 with ((server repository))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:57
S11 2	620	(send\$3 forward\$3 transmit\$4) with (URL address) with ((third near3 part\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:58
S11 3	139	S112 and encrypt\$3 and decrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:58

EAST Search History

S11 4	98	(send\$3 forward\$3 transmit\$4) with (URL) with ((third near3 part\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:58
S11 5	25	S114 and encrypt\$3 and decrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:58
S11 6	3	(user sender client first) with (send\$3 transmit\$4 forward\$3) with (URL address) with (thumb\$1nail (thumb adj nail) clip) with receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 00:38
S11 7	432	(send\$3 transmit\$4 forward\$3) same (URL address) same (thumb\$1nail (thumb adj nail) clip) same (receiv\$3 recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 00:59
S11 8	48	S117 and encrypt\$3 and decrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 00:39
S11 9	8	(send\$3 transmit\$4 forward\$3) same ((URL address) with (thumb\$1nail (thumb adj nail) clip)) same key same (receiv\$3 recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 01:02
S12 0	8	(send\$3 transmit\$4 forward\$3) same ((URL address) with (thumb\$1nail (thumb adj nail) clip)) same key same (receiv\$3 recipient (third adj part\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 01:03
S12 1	268	(send\$3 transmit\$4 forward\$3) same (thumb\$1nail (thumb adj nail) clip) same key same (receiv\$3 recipient (third adj part\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 01:03
S12 2	15	(send\$3 transmit\$4 forward\$3) same (locat\$3 with (thumb\$1nail (thumb adj nail) clip)) same key same (receiv\$3 recipient (third adj part\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 01:04